

Multifunction Products

						
CX331adwe Up to 26 ppm 2.8-inch touch screen Simplex ADF	CX431adw Up to 26 ppm 2.8-inch touch screen Duplex ADF	CX532adwe Up to 35 ppm 4.3-inch touch screen Duplex ADF Finishing option	CX635adwe Up to 42 ppm 7-inch touch screen Duplex ADF Finishing option	CX730de Up to 42 ppm 7-inch touch screen Duplex ADF Finishing option	CX735adse, CX737adzse Up to 52 ppm 10-inch touch screen Duplex ADF Finishing option	CX833se/xse Up to 55 ppm 10-inch touch screen Duplex ADF Finishing options
						
CX950se Up to 25 ppm 10-inch touch screen Duplex ADF Finishing options	CX951se Up to 35 ppm 10-inch touch screen Duplex ADF Finishing options	CX961se/tse Up to 35 ppm 10-inch touch screen Duplex ADF Finishing options	CX962se/tse Up to 45 ppm 10-inch touch screen Duplex ADF Finishing options	CX963se/xse Up to 55 ppm 10-inch touch screen Duplex ADF Finishing options	CX944adtse/adxse Up to 65 ppm 10-inch touch screen Duplex ADF Finishing options	

Printers

						
CS331dw Up to 26 ppm 2-line display	CS431dw Up to 26 ppm 2.8-inch touch screen	CS531dw Up to 35 ppm 2.8-inch touch screen	CS632dwe Up to 42 ppm 4.3-inch touch screen	CS730de Up to 42 ppm 4.3-inch touch screen	CS735de, CS737dze Up to 52 ppm 4.3-inch touch screen	CS963de Up to 55 ppm 4.3-inch touch screen Finishing options

 Color
 Solutions-Enabled
 = Wi-Fi standard
 ppm = Pages per minute
 ADF = Automatic Document Feeder

a=analog fax
 d=duplex
 t=additional tray included
 x=high capacity feeder included
 e=embedded solutions framework*
 s=Intelligent Storage Drive (ISD)
 w=Wi-Fi
 z=VariTherm™ technology

*CX331adwe does not include an embedded solutions framework and does not support optional Lexmark or third-party solutions.

MFPs

CX331adwe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
4500	20N1HK0	20N1HC0	20N1HM0	20N1HY0
1500	20N10K0	20N10C0	20N10M0	20N10Y0
4500	20N0H10	20N0H20	20N0H30	20N0H40
750	✓			
500		✓		
15000	20N0W00			
CX431adw				
6700		20N1XC0	20N1XM0	20N1XY0
6000	20N1XK0			
1500	20N10K0	20N10C0	20N10M0	20N10Y0
7000		20N0X20	20N0X30	20N0X40
6000	20N0X10			
1500	✓	✓	✓	✓
15000	20N0W00			
CX532adwe				
15800	75M1HK0			
8800		75M1HC0	75M1HM0	75M1HY0
3000	75M10K0			
2000		75M10C0	75M10M0	75M10Y0
15800	7530H10			
8800		7530H20	7530H30	7530H40
3000	✓			
2000		✓	✓	✓
150000	75M0ZK0			
150000	75M0ZV0			
150000	75M0Z10			
150000	75M0Z50			
30000	75M0W00			
CX635adwe				
20000	75M1XK0			
11700		75M1XC0	75M1XM0	75M1XY0
3000	75M10K0			
2000		75M10C0	75M10M0	75M10Y0
20000	7530X10			
11700		7530X20	7530X30	7530X40
3000	✓			
2000		✓	✓	✓
150000	75M0ZK0			
150000	75M0ZV0			
150000	75M0Z10			
150000	75M0Z50			
30000	75M0W00			

MFPs (cont.)

CX730de				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
22000	71C1HK0			
10500		71C1HC0	71C1HM0	71C1HY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
22000	71C0H10			
10500		71C0H20	71C0H30	71C0H40
5000	✓	✓	✓	✓
150000	71C0Z10	71C0Z50		
170000	71C0W00			
CX735adse, CX737adzse				
28000	81C1XK0			
16200		81C1XC0	81C1XM0	81C1XY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
28000	81C0X10			
16200		81C0X20	81C0X30	81C0X40
5000	✓	✓	✓	✓
150000	71C0Z10	71C0Z50		
170000	71C0W00			
CX833se/xse, CX950se, CX951se				
47700	79L1HK0			
46900		79L1HC0	79L1HM0	79L1HY0
15000	77L10K0			
12000		77L10C0	77L10M0	77L10Y0
47700	79L0H10			
46900		79L0H20	79L0H30	79L0H40
5000	✓	✓	✓	✓
250000		77L0ZV0		
225000	77L0ZK0			
250000		77L0Z50		
225000	72K0Z10			
170000	77LOW00			

MFPs (cont.)

CX961se/tse, CX962se/tse, CX963se/xse				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
47700	77L1HK0			
46900		77L1HC0	77L1HM0	77L1HY0
15000	77L10K0			
12000		77L10C0	77L10M0	77L10Y0
47700	77L0H10			
46900		77L0H20	77L0H30	77L0H40
15000	✓			
12000		✓	✓	✓
250000		77L0ZV0		
225000	77L0ZK0			
250000		77L0Z50		
225000	77L0Z10			
170000	77LOW00			
CX944adtse/adxse				
45000	83D0HK0			
22000		83D0HC0	83D0HM0	83D0HY0
18500	✓			
11500		✓	✓	✓
165000	73D0P00	73D0Q00		
35000	73DOW00			

¹ Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. For CX83x, CX95x, CS/CX96x, and MX95x models, estimated yields are based on 5 average Letter/A4 size pages per print job at approximately 5% coverage.

Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity. ³ Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

Return Program Cartridge ¹
Contract Cartridge ¹
Regular Toner Cartridge ¹
Cartridge(s) Shipping with Product
Return Program Imaging Kit (Single or Multipack) ²
Regular Imaging Kit (Single or Multipack) ²
Photoconductor (Single or Multipack) ²
Return Developer ²
Regular Developer ²
Waste Toner Container ³
MFP = Multifunction Product

Printers

CS331dw				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
4500	20N1HK0	20N1HC0	20N1HM0	20N1HY0
1500	20N10K0	20N10C0	20N10M0	20N10Y0
4500	20N0H10	20N0H20	20N0H30	20N0H40
750	✓			
500		✓	✓	✓
15000	20N0W00			
CS431dw				
6700		20N1XC0	20N1XM0	20N1XY0
6000	20N1XK0			
1500	20N10K0	20N10C0	20N10M0	20N10Y0
7000		20N0X20	20N0X30	20N0X40
6000	20N0X10			
1500	✓	✓	✓	✓
15000	20N0W00			
CS531dw				
15800	75M1HK0			
8800		75M1HC0	75M1HM0	75M1HY0
3000	75M10K0			
2000		75M10C0	75M10M0	75M10Y0
15800	7530H10			
8800		7530H20	7530H30	7530H40
3000	✓			
2000		✓	✓	✓
150000	75M0ZK0			
150000	75M0ZV0			
150000	75M0Z10			
150000	75M0Z50			
30000	75M0W00			
CS632dwe				
20000	75M1XK0			
11700		75M1XC0	75M1XM0	75M1XY0
3000	75M10K0			
2000		75M10C0	75M10M0	75M10Y0
20000	7530X10			
11700		7530X20	7530X30	7530X40
3000	✓			
2000		✓	✓	✓
150000	75M0ZK0			
150000	75M0ZV0			
150000	75M0Z10			
150000	75M0Z50			
30000	75M0W00			

Printers (cont.)

CS730de				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
22000	71C1HK0			
10500		71C1HC0	71C1HM0	71C1HY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
22000	71C0H10			
10500		71C0H20	71C0H30	71C0H40
5000	✓	✓	✓	✓
150000	71C0Z10	71C0Z50		
170000	71C0W00			
CS735de, CS737dze				
22000	71C1HK0			
12500		71C1XC0	71C1XM0	71C1XY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
22000	71C0H10			
12500		71C0X20	71C0X30	71C0X40
5000	✓	✓	✓	✓
150000	71C0Z10	71C0Z50		
170000	71C0W00			
CS963e				
47700	77L1HK0			
46900		77L1HC0	77L1HM0	77L1HY0
15000	77L10K0			
12000		77L10C0	77L10M0	77L10Y0
47700	77L0H10			
46900		77L0H20	77L0H30	77L0H40
15000	✓			
12000		✓	✓	✓
250000		77L0ZK0		
225000	77L0ZK0			
25000		72K0D50		
225000	77L0Z10			
170000	77L0W00			

¹ Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. For CX83x, CX95x, CS/CX96x, and MX95x models, estimated yields are based on 5 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

³ Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

	Return Program Cartridge ¹
	Contract Cartridge ¹
	Regular Toner Cartridge ¹
	Cartridge(s) Shipping with Product
	Return Program Imaging Kit (Single or Multipack) ²
	Regular Imaging Kit (Single or Multipack) ²
	Photoconductor (Single or Multipack) ²
	Return Developer ²
	Regular Developer ²
	Waste Toner Container ³
	MFP = Multifunction Product

Multifunction Products

		 	 	 	
MX331adn Up to 40 ppm 2.8-inch touch screen Simplex ADF	MX431adn/adw Up to 42 ppm 2.8-inch touch screen Duplex ADF	MX432adwe Up to 42 ppm 4.3-inch touch screen Duplex ADF	MX532adwe Up to 46 ppm 4.3-inch touch screen Duplex ADF Finishing option	MX632adwe Up to 50 ppm 7-inch touch screen Duplex ADF Finishing option	MX721ade Up to 65 ppm 7-inch touch screen Duplex ADF OCR standard (adhe)
		  	 Monochrome  Solutions-Enabled  = Wi-Fi standard ppm = Pages per minute ADF = Automatic Document Feeder		
MX722adhe Up to 70 ppm 7-inch touch screen Duplex ADF OCR standard (adhe)	MX822ade, MX826ade Up to 55, 70 ppm 10-inch touch screen Duplex ADF Standard OCR Finishing options	MX953se Up to 55 ppm 10-inch touch screen Duplex ADF Finishing options	a=analog fax d=duplex n=network e=embedded solutions framework h=magnetic hard disk s=Intelligent Storage Drive (ISD) v=vinyl media w=Wi-Fi		

Printers

		 	 	 	
MS331dn Up to 40 ppm 2-line display	MS431dn/dw Up to 42 ppm 2-line display	MS531dw Up to 46 ppm 2.8-inch touch screen	MS631dw Up to 50 ppm 2.8-inch touch screen	MS632dwe Up to 50 ppm 4.3-inch touch screen	MS725dvn Up to 55 ppm 2.4-inch display Special media
					
MS821dn, MS823dn Up to 55, 65, 70 ppm 2.4-inch display Finishing options	MS822de, MS826de Up to 55, 70 ppm 4.3-inch touch screen Finishing options				

MFPs

MX331adn	
Page Yield	P/N
15000	55B1H00
3000	55B1000
15000	55B1H0E
3000	55B100E
15000	55B0HA0
1500	✓
40000	55B0ZA0
MX431adn/adw, MX432adwe	
20000	55B1X00
15000	55B1H00
3000	55B1000
20000	55B1X0E
15000	55B1H0E
3000	55B100E
20000	55B0XA0
3000	✓
40000	55B0ZA0
MX532adwe	
28400	66S1H00
5000	66S1000
28400	66S0HA0
5000	✓
75000	66S0Z00
75000	66S0ZA0
MX632adwe	
31000	66S1X00
5000	66S1000
31000	66S0HA0
5000	✓
75000	66S0Z00
75000	66S0ZA0

MFPs (cont.)

MX721ade	
Page Yield	P/N
35000	58D1X00
15000	58D1H00
7500	58D1000
35000	58D1X0E
15000	58D1H0E
35000	58D0XA0
11000	✓
150000	58D0Z00
150000	58D0ZA0
MX722adhe, MX822ade, MX826ade	
55000	58D1U00
35000	58D1X00
15000	58D1H00
7500	58D1000
55000	58D1U0E
35000	58D1X0E
15000	58D1H0E
55000	58D0UA0
11000	✓
150000	58D0Z00
150000	58D0ZA0
MX953se	
47700	77L1HK0
15000	77L10K0
47700	77L0H10
5000	✓
225000	77L0ZK0
225000	77L0Z10
315000	79L0W00

Printers

MS331dn	
Page Yield	P/N
15000	55B1H00
3000	55B1000
15000	55B1H0E
3000	55B100E
15000	55B0HA0
1500	✓
40000	55B0ZA0
MS431dn/dw	
20000	55B1X00
15000	55B1H00
3000	55B1000
20000	55B1X0E
15000	55B1H0E
3000	55B100E
20000	55B0XA0
3000	✓
40000	55B0ZA0
MS531dw	
28400	66S1H00
5000	66S1000
28400	66S0HA0
5000	✓
75000	66S0Z00
75000	66S0ZA0

Printers (cont.)

MS631dw, MS632dwe	
Page Yield	P/N
31000	66S1X00
5000	66S1000
31000	66S0HA0
75000	66S0Z00
75000	66S0ZA0
MS821dn, MS822de	
15000	58D1H00
7500	58D1000
15000	58D1H0E
15000	58D0HA0
11000	✓
150000	58D0Z00
150000	58D0ZA0
MS725dvn, MS823dn, MS824de, MS826de	
55000	58D1U00
35000	58D1X00
15000	58D1H00
7500	58D1000
55000	58D1U0E
35000	58D1X0E
15000	58D1H0E
55000	58D0UA0
11000	✓
150000	58D0Z00
150000	58D0ZA0

¹ Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. For CX83x, CX95x, CS/CX96x, and MX95x models, estimated yields are based on 5 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

³ Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

Return Program Cartridge ¹
Contract Cartridge ¹
Regular Toner Cartridge ¹
Cartridge(s) Shipping with Product
Return Program Imaging Unit
Regular Imaging Unit
Photoconductor
Return Developer ²
Regular Developer ²
Waste Toner Container ³
MFP = Multifunction Product