

Color laser multifunction product



# Lexmark X925de

**Image enhancer. Workflow advancer.**



Color



10-inch  
touch screen



Copy



Scan



Fax



Solutions



A3 (11 x 17)



Up to 30  
ppm



Duplex  
printing



Network

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

### Make a lasting impression with award-winning color.

The documents you print define an important image—yours. That's why Lexmark color MFPs help businesses be more productive and stand out with vibrant color. With the ability to print professional quality color in-house, you can add instant impact and save costs by virtually eliminating the need to outsource print jobs. Lexmark also offers a host of color-access and control tools to manage cost.

### Eco-responsible

Printing responsibly means everyone wins—your business, your budget and the environment. Lexmark's award-winning products are designed for ease of use, high quality output and reliable performance, with innovative capabilities that help you minimize the number of cartridges you use over the life of the printer and conserve paper and energy. Our goal is to design, package and deliver innovative products and solutions in an environmentally responsible manner.

The Lexmark Cartridge Collection Program is active around the world providing a variety of methods for free returns of your empties to Lexmark or our collection partners. Our goal: Make it easy to do the right thing.

### Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and principles for environmental sustainability.

#### Our memberships include:

- ▶ AeA Europe
- ▶ American National Standards Institute (ANSI)
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ European Information & Communications Technology Industry Association (EICTA)
- ▶ Information Technology Industry Council (ITI)
- ▶ ITI Environmental Leadership Council

### Affordable color input

The Lexmark X925de delivers high quality 11x17 color multifunction performance in an affordable, compact design. Enjoy the benefits of vibrant, professional-quality output on a wide variety of media, allowing you to do more color printing in-house.

- ▶ PANTONE® calibration for consistent color tones
- ▶ Named Color Replacement for easy color matching
- ▶ Supports media up to 11.7 x 48 inches (banner)
- ▶ Lexmark Color Care Technology to manage color usage and control costs

### Business productivity

The Lexmark X925de combines high-performance printing, copying, scanning and faxing with time-saving solution applications designed to boost your productivity.

- ▶ Print and copy speeds as fast as 30 ppm in both black and color
- ▶ Advanced copy functions include the ability to interrupt long print runs to make a quick copy, and proof the first copy set before completing your copy job
- ▶ Scan to multiple destinations, including scan to email, scan to FTP, scan to fax, scan to network, and more
- ▶ Preloaded applications to drive greater efficiency, and Lexmark Embedded Solutions Framework to further extend the capabilities of the device

### Easy and intuitive

The Lexmark X925de is designed for easy operation and maintenance.

- ▶ Extra large, easy to navigate 10-inch color touch screen provides audible and tactile feedback to make completing tasks intuitive
- ▶ Print and scan preview features help you select documents or specific pages within a document
- ▶ Ability to change settings, such as duplex, at the device
- ▶ Robust connectivity makes it easy to integrate into almost any network environment
- ▶ Sleep Button and Hibernate Mode to reduce energy costs
- ▶ Device management software available

## Save time and money through solutions

Reduce unnecessary printing and simplify work processes through Lexmark solutions. The X925de features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

## The right touch

The Lexmark e-Task color touch screen is a key access point to your device. The extra large customizable 10-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen.

Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.

## Preloaded solutions\* on the X925de:



### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



### Scan to Network

Scan a hardcopy document and route the image to one of 100 predefined personal or public shared network folders.

## Examples of solutions available through Lexmark authorized partners and dealers, or through a Lexmark Professional Services engagement:



### Background and Idle Screen

Change the touch screen background to your corporate logo, custom images, a unique message or select from preloaded screens.



### Showroom

Display a customizable, scrolling slideshow on the color touch screen to promote your business or products, or to communicate important messages to your customers or employees.



### Card Copy

Save time and effort in copying identification cards, licenses and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card onto one side of a sheet of paper.

\* Additional solutions are available

## Vertical solutions

**Education station.** Solution integrated into the educational space where classroom testing and paperwork tasks can be performed with just one touch. Consists of Scan to Classroom, Print Test, Grade Test\* and Forms on Demand.

**Dental assistant.** Bundle of applications to help a dental office improve its common paper workflow processes. Consists of Scan to Network, Card Copy, Eco Copy, Forms on Demand, Remote Copy and Background and Idle Screen.

**CPA partner.** Bundle of applications to help an accounting firm improve its common paper workflow processes. Consists of Scan to Network, Remote Copy, Eco Copy and Background and Idle Screen.

Contact your Lexmark Business Solutions Dealer for additional vertical solutions.

## Lexmark's standard security features for your network, data and devices

Output security has never been more important to businesses of all sizes. Lexmark's security functions include device management, device hardening and device operation. Strong multilayered security is built-in.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

## Lexmark has shown its strength and leadership with respect to security.

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hard-copy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation

\*Optional software available. Licensing fees apply.

1.



#### 10-inch class, color touch screen

Operate your device with ease and confidence through smart and intuitive navigation, easy access to workflow solutions and shortcuts, and the ability to preview your documents and print jobs at the device.

2.



#### 100-Sheet automatic document feeder (RADF)

Save time by scanning both sides of your document with robust color-scanning capabilities and an input capacity of up to 100 pages.

3.



#### Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with most printable image file formats.


4.



#### Load multiple media types

150-sheet and 250-sheet input trays and a multipurpose feeder come standard, allowing you to load three media types.

5.



#### Lexmark solutions

Reduce unnecessary printing and simplify work processes through solution applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.

6.



#### Eco-friendly features

Easy-to-access features like Eco-Mode reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.


7.



#### Front-loading toner cartridges

Cartridges are conveniently located at the front of the device for easy access.





**Standard**  
**Optional**

## X925de

| Part #  | Models         |
|---------|----------------|
| 24Z0653 | Lexmark X925de |

| Part #   | Laser toner/print cartridge             |
|----------|-----------------------------------------|
| X925H2KG | X925 Black High Yield Toner Cartridge   |
| X925H2CG | X925 Cyan High Yield Toner Cartridge    |
| X925H2MG | X925 Magenta High Yield Toner Cartridge |
| X925H2YG | X925 Yellow High Yield Toner Cartridge  |
| C925X72G | C925, X925 Black Imaging Unit           |
| C925X73G | C925, X925 Cyan Imaging Unit            |
| C925X74G | C925, X925 Magenta Imaging Unit         |
| C925X75G | C925, X925 Yellow Imaging Unit          |
| C925X76G | C925, X925 Waste Toner Bottle           |

| Part #  | Paper handling              |
|---------|-----------------------------|
| 24Z0030 | C925, X925 550-sheet drawer |

| Part #  | Furniture                       |
|---------|---------------------------------|
| 24Z0031 | C925, X925 Cabinet with casters |

| Part #  | Memory options                |
|---------|-------------------------------|
| 1025041 | 256MB DDR2-DRAM               |
| 1025042 | 512MB DDR2-DRAM               |
| 1025043 | 1024MB DDR2-DRAM              |
| 14F0245 | 256MB Flash Card              |
| 30G0287 | Arabic Font Card              |
| 30G0828 | Japanese Font Card            |
| 30G0825 | Korean Font Card              |
| 30G0826 | Simplified Chinese Font Card  |
| 30G0827 | Traditional Chinese Font Card |

| Part #  | Application solutions             |
|---------|-----------------------------------|
| 24Z0043 | X925 Card for PRESCRIBE Emulation |
| 24Z0041 | X925 Forms and Bar Code Card      |
| 24Z0042 | X925 Card for IPDS                |
| 57X9000 | Lexmark PrintCryption Card        |

| Part #  | Connectivity                                    |
|---------|-------------------------------------------------|
| 27X0025 | MarkNet N8250 802.11b/g/n Wireless Print Server |
| 14F0037 | MarkNet N8120 Gigabit Ethernet Print Server     |

|         |                                                               |
|---------|---------------------------------------------------------------|
| 14F0042 | MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server                 |
| 1021294 | USB Cable (2-meter)                                           |
| 14F0000 | Parallel 1284-B Interface Card                                |
| 1021231 | Parallel Cable (10-foot)                                      |
| 14F0100 | RS-232C Serial Interface Card                                 |

| Part #  | Extended warranties                                   |
|---------|-------------------------------------------------------|
| 2353820 | X925 2-Years Total Onsite Service, Next Business Day  |
| 2353821 | X925 3-Years Total Onsite Service, Next Business Day  |
| 2353822 | X925 4-Years Total Onsite Service, Next Business Day  |
| 2353823 | X925 5-Years Total Onsite Service, Next Business Day  |
| 2353824 | X925 1-Year Onsite Service Renewal, Next Business Day |

| Part #  | User replaceable parts                    |
|---------|-------------------------------------------|
| 40X6013 | C925, X925 Fuser Maintenance Kit 110-120V |
| 40X6011 | C925, X925 Transfer Belt and Roll         |
| 40X6328 | X925 ADF Separator Roll                   |
| 40X6432 | X925 Flatbed Cushion                      |
| 40X6327 | X925 ADF Pick Arm                         |



| Product specifications                               | Lexmark X925de                                                                                                                                                                                                                                  |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Printing</b>                                      |                                                                                                                                                                                                                                                 |
| Display                                              | Lexmark e-Task 10-inch (25 cm) class color touch screen                                                                                                                                                                                         |
| Print Speed: Up to                                   | Black: 30 ppm / Color: 30 ppm                                                                                                                                                                                                                   |
| Time to First Page: As fast as                       | Black: 9 seconds / Color: 11 seconds                                                                                                                                                                                                            |
| Print Resolution                                     | Black: 1200 Image Quality, 600 x 600 dpi / Color: 1200 Image Quality, 600 x 600 dpi                                                                                                                                                             |
| Memory                                               | Standard: 512 MB / Maximum: 1536 MB                                                                                                                                                                                                             |
| Hard Disk                                            | Included in configuration                                                                                                                                                                                                                       |
| Recommended Monthly Page Volume <sup>1</sup>         | 5000 - 10000 pages                                                                                                                                                                                                                              |
| Maximum Monthly Duty Cycle: Up to <sup>2</sup>       | 200000 pages per month                                                                                                                                                                                                                          |
| <b>Copying</b>                                       |                                                                                                                                                                                                                                                 |
| Copy Speed: Up to                                    | Black: 30 cpm / Color: 30 cpm                                                                                                                                                                                                                   |
| Time to First Copy: As fast as                       | Black: 17 seconds / Color: 17 seconds                                                                                                                                                                                                           |
| <b>Scanning</b>                                      |                                                                                                                                                                                                                                                 |
| Scanner Type / ADF Scan                              | Flatbed scanner with ADF / RADF (Reversing Duplex)                                                                                                                                                                                              |
| A4/Ltr Duplex Scan Speed: Up to                      | Black: 12 sides per minute / Color: 12 sides per minute                                                                                                                                                                                         |
| A4/Ltr Simplex Scan Speed: Up to                     | Black: 33/ 32 sides per minute / Color: 33/ 32 sides per minute                                                                                                                                                                                 |
| ADF Paper Input Capacity: Up to                      | 100 pages 20 lb or 75 gsm bond                                                                                                                                                                                                                  |
| <b>Faxing</b>                                        |                                                                                                                                                                                                                                                 |
| Modem Speed                                          | 33.6 Kbps                                                                                                                                                                                                                                       |
| <b>Supplies</b>                                      |                                                                                                                                                                                                                                                 |
| Imaging Unit Estimated Yield: Up to                  | 30,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage                                                                                                                                                           |
| Cartridge(s) Shipping with Product                   | 7,500-page Color (CMY) High Yield Toner Cartridges, 8,500-page Black High Yield Toner Cartridge                                                                                                                                                 |
| <b>Paper Handling</b>                                |                                                                                                                                                                                                                                                 |
| Paper Input Capacity: Up to                          | Standard: 450 pages 20 lb or 75 gsm bond / Maximum: 2100 pages 20 lb or 75 gsm bond                                                                                                                                                             |
| Paper Output Capacity: Up to                         | Standard: 250 pages 20 lb or 75 gsm bond / Maximum: 250 pages 20 lb or 75 gsm bond                                                                                                                                                              |
| Media Types Supported                                | Card Stock, Envelopes, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide., Banner Paper                                                                                                                                |
| Media Sizes Supported                                | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A3, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Statement, Universal, Oficio, A6                                                           |
| <b>General Information</b>                           |                                                                                                                                                                                                                                                 |
| Standard Ports                                       | USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Ethernet 10/100/1000 BaseTX (RJ-45)                               |
| Optional Network Ports / Optional Local Ports        | External MarkNet N7020e Gigabit Ethernet, Internal MarkNet™ N8120 Gigabit Ethernet, Internal MarkNet™ N8130 Fiber Fast Ethernet, Internal MarkNet™ N8250 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel |
| Noise Level: Operating                               | Print: 53 dBA / Copy: 54 dBA / Scan: 54 dBA                                                                                                                                                                                                     |
| Specified Operating Environment                      | Temperature: 10 to 32°C (50 to 90°F), Humidity: 20 to 80% Relative Humidity, Altitude: 0 - 2300 Meters (7,545 Feet)                                                                                                                             |
| Limited Warranty - See Statement of Limited Warranty | 1-Year Onsite Service, Next Business Day                                                                                                                                                                                                        |
| Size (in. - H x W x D) / Weight (lb.)                | 30.35 x 26.46 x 26.30 in. / 174.8 lb.                                                                                                                                                                                                           |

<sup>1</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>2</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>3</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

**This is a Class A device according to the FCC Rules and international electromagnetic emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.**

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.