

Multifunction Products

						
CX331adwe Up to 26 ppm 2.8-inch touch screen Simplex ADF	CX431adw Up to 26 ppm 2.8-inch touch screen Duplex ADF	CX522ade Up to 35 ppm 4.3-inch touch screen Reversing ADF	CX622ade Up to 40 ppm 4.3-inch touch screen Duplex ADF	CX625ade/adhe Up to 40 ppm 7-inch touch screen Duplex ADF OCR standard (adhe)	CX730de Up to 42 ppm 7-inch class touch screen Duplex ADF Finishing option	CX735adse, CX737adzse Up to 52 ppm 10-inch class touch screen Duplex ADF Finishing option
			 A3	 A3	 A3	
CX820de/dtfe Up to 52 ppm 7-inch class touch screen Duplex ADF Finishing	CX825de/dte/dtfe Up to 55 ppm 10-inch class touch screen Duplex ADF Finishing	CX860de/dte/dtfe Up to 60 ppm 10-inch class touch screen Duplex ADF Finishing	CX930dse, CX931dse/dtse Up to 25, 35 ppm 7-inch class touch screen Reversing ADF Finishing options	CX942adse Up to 45 ppm 10-inch class touch screen Duplex ADF Finishing options	CX943adtse/adxse, CX944adtse/adxse Up to 55, 65 ppm 10-inch class touch screen Duplex ADF Finishing options	

Printers

						
CS331dw Up to 26 ppm 2-line display	CS431dw Up to 26 ppm 2.8-inch touch screen	CS521dn Up to 35 ppm 2.4-inch display	CS622de Up to 40 ppm 4.3-inch touch screen	CS730de Up to 42 ppm 4.3-inch touch screen	CS735de, CS737dze Up to 52 ppm 4.3-inch touch screen	CS820de/dte/dtfe Up to 60 ppm 4.3-inch touch screen Finishing options

 A3	 Color  Solutions-Enabled  = Wi-Fi standard ppm = Pages per minute ADF = Automatic Document Feeder *CX331adwe does not include an embedded solutions framework and does not support optional Lexmark or third-party solutions.	a=analog fax d=duplex n=network t=additional tray included x=high capacity feeder included e=embedded solutions framework* f=finisher h=magnetic hard disk s=Intelligent Storage Drive (ISD) v=vinyl media w=Wi-Fi z=fuser technology
CS943de Up to 55 ppm 4.3-inch touch screen Finishing options		

Note: The CX92x A3 models will be available through the first part of 2023.

MFPs

CX331adwe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
4500	20N1HK0	20N1HC0	20N1HM0	20N1HY0
1500	20N10K0	20N10C0	20N10M0	20N10Y0
4500	20N0H10	20N0H20	20N0H30	20N0H40
15000	20N0W00			

CX431adw				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
6700		20N1XC0	20N1XM0	20N1XY0
6000	20N1XK0			
1500	20N10K0	20N10C0	20N10M0	20N10Y0
7000		20N0X20	20N0X30	20N0X40
6000	20N0X10			
15000	20N0W00			

CX522ade				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
8500	78C1XK0			
5000		78C1XC0	78C1XM0	78C1XY0
2000	78C10K0			
1400		78C10C0	78C10M0	78C10Y0
8500	78C1XKE			
5000		78C1XCE	78C1XME	78C1XE
2000	78C10KE			
1400		78C10CE	78C10ME	78C10YE
8500	78C0X10			
5000		78C0X20	78C0X30	78C0X40
125000	78C0ZK0			
125000		78C0ZV0		
125000	78C0Z10			
125000		78C0Z50		
25000		78C0W00		

CX622ade/adhe, CX625ade/adhe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
10500	78C1UK0			
7000		78C1UC0	78C1UM0	78C1UY0
8500	78C1XK0			
5000		78C1XC0	78C1XM0	78C1XY0
2000	78C10K0			
1400		78C10C0	78C10M0	78C10Y0
10500	78C1UKE			
8500	78C1XKE			
7000		78C1UCE	78C1UME	78C1UYE
5000		78C1XCE	78C1XME	78C1XE
2000	78C10KE			
1400		78C10CE	78C10ME	78C10YE
10500	78C0U10			
7000		78C0U20	78C0U30	78C0U40
125000	78C0ZK0			
125000		78C0ZV0		
125000	78C0Z10			
125000		78C0Z50		
25000		78C0W00		

MFPs (cont.)

CX730de				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
22000	71C1HK0			
10500		71C1HC0	71C1HM0	71C1HY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
22000	71C0H10			
10500		71C0H20	71C0H30	71C0H40
150000	71C0Z10		71C0Z50	
170000		71C0W00		

CX735adse, CX737adzse				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
28000	81C1XK0			
16200		81C1XC0	81C1XM0	81C1XY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
28000	81C0X10			
16200		81C0X20	81C0X30	81C0X40
150000	71C0Z10		71C0Z50	
170000		71C0W00		

CX820de/dtfe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
33000	72K1XK0			
17000		82K1HC0	82K1HM0	82K1HY0
8000	72K10K0	72K10C0	72K10M0	72K10Y0
33000	72K0X10			
17000		82K0H20	82K0H30	82K0H40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		

CX825de/dtfe/dtfe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
33000	72K1XK0			
22000		82K1XC0	82K1XM0	82K1XY0
17000		82K1HC0	82K1HM0	82K1HY0
8000	72K10K0	72K10C0	72K10M0	72K10Y0
33000	72K0X10			
22000		82K0X20	82K0X30	82K0X40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		

CX860de/dtfe/dtfe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
55000	82K1UK0	82K1UC0	82K1UM0	82K1UY0
33000	72K1XK0			
22000		82K1XC0	82K1XM0	82K1XY0
17000		82K1HC0	82K1HM0	82K1HY0
8000	72K10K0	72K10C0	72K10M0	72K10Y0
55000	82K0U10	82K0U20	82K0U30	82K0U40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		

MFPs (cont.)

CX825de/dtfe/dtfe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
33000	72K1XK0			
22000		82K1XC0	82K1XM0	82K1XY0
17000		82K1HC0	82K1HM0	82K1HY0
8000	72K10K0	72K10C0	72K10M0	72K10Y0
33000	72K0X10			
22000		82K0X20	82K0X30	82K0X40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		

CX860de/dtfe/dtfe				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
55000	82K1UK0	82K1UC0	82K1UM0	82K1UY0
33000	72K1XK0			
22000		82K1XC0	82K1XM0	82K1XY0
17000		82K1HC0	82K1HM0	82K1HY0
8000	72K10K0	72K10C0	72K10M0	72K10Y0
55000	82K0U10	82K0U20	82K0U30	82K0U40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		

MFPs (cont.)

CX930dse, CX931dse/dtse				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
28000	85D0HK0			
16500		85D0HC0	85D0HM0	85D0HY0
5000	85D00K0	85D00C0	85D00M0	85D00Y0
87000	85D0P00		85D0Q00	
40000		85D0W00		

CX942adse, CX943adtse/adxse, CX944adtse/adxse				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
45000	83D0HK0			
22000		83D0HC0	83D0HM0	83D0HY0
165000	73D0P00		73D0Q00	
35000		73D0W00		

¹ Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

³ Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

Return Program Cartridge ¹
Contract Cartridge ¹
Regular Toner Cartridge ¹
Return Program Imaging Kit (Single or Multipack) ²
Regular Imaging Kit (Single or Multipack) ²
Photoconductor (Single or Multipack) ²
Return Developer ²
Regular Developer ²
Waste Toner Container ³
MFP = Multifunction Product

Printers

CS331dw				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
4500	20N1HK0	20N1HC0	20N1HM0	20N1HY0
1500	20N10K0	20N10C0	20N10M0	20N10Y0
4500	20N0H10	20N0H20	20N0H30	20N0H40
15000	20N0W00			
CS431dw				
6700		20N1XC0	20N1XM0	20N1XY0
6000	20N1XK0			
1500	20N10K0	20N10C0	20N10M0	20N10Y0
7000		20N0X20	20N0X30	20N0X40
6000	20N0X10			
15000	20N0W00			
CS521dn, CS622de				
10500	78C1UK0			
7000		78C1UC0	78C1UM0	78C1UY0
8500	78C1XK0			
5000		78C1XC0	78C1XM0	78C1XY0
2000	78C10K0			
1400		78C10C0	78C10M0	78C10Y0
10500	78C1UKE			
8500	78C1XKE			
7000		78C1UCE	78C1UME	78C1UYE
5000		78C1XCE	78C1XME	78C1XE
2000	78C10KE			
1400		78C10CE	78C10ME	78C10YE
10500	78C0U10			
7000		78C0U20	78C0U30	78C0U40
125000	78C0ZK0			
125000	78C0ZV0			
125000	78C0Z10			
125000	78C0Z50			
25000	78C0W00			
CS730de				
22000	71C1HK0			
10500		71C1HC0	71C1HM0	71C1HY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
22000	71C0H10			
10500		71C0H20	71C0H30	71C0H40
150000	71C0Z10	71C0Z50		
170000	71C0W00			

Printers (cont.)

CS735de, CS737dze				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
22000	71C1HK0			
12500		71C1XC0	71C1XM0	71C1XY0
5000	71C10K0	71C10C0	71C10M0	71C10Y0
22000	71C0H10			
12500		71C0X20	71C0X30	71C0X40
150000	71C0Z10	71C0Z50		
170000	71C0W00			
CS820de/dte/dtfe				
33000	72K1XK0			
22000		72K1XC0	72K1XM0	72K1XY0
8000	72K10K0	72K10C0	72K10M0	72K10Y0
33000	72K0X10			
22000		72K0X20	72K0X30	72K0X40
175000	72K0P00	72K0Q00		
300000	72K0DK0	72K0DV0		
300000	72K0D10	72K0D50		
115000	72K0W00			
CS943de				
52000	73D0HK0			
26000		73D0HC0	73D0HM0	73D0HY0
165000	73D0P00	73D0Q00		
35000	73D0W00			

¹ Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

³ Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

	Return Program Cartridge ¹
	Contract Cartridge ¹
	Regular Toner Cartridge ¹
	Return Program Imaging Kit (Single or Multipack) ²
	Regular Imaging Kit (Single or Multipack) ²
	Photoconductor (Single or Multipack) ²
	Return Developer ²
	Regular Developer ²
	Waste Toner Container ³
	MFP = Multifunction Product



Multifunction Products

		 			
MX331adn Up to 40 ppm 2.8-inch touch screen Simplex ADF	MX431adn/adw Up to 42 ppm 2.8-inch touch screen Duplex ADF	MX432adwe Up to 42 ppm 4.3-inch touch screen Duplex ADF	MX521de/ade Up to 46 ppm 4.3-inch touch screen Reversing ADF	MX522adhe Up to 46 ppm 4.3-inch touch screen Duplex ADF	MX622ade/adhe Up to 50 ppm 7-inch class touch screen Duplex ADF Finishing option
			 A3	 Monochrome  Solutions-Enabled  = Wi-Fi standard ppm = Pages per minute ADF = Automatic Document Feeder *MX521de/ade do not include the embedded solutions framework and do not support optional Lexmark or third-party solutions.	
MX721ade/adhe Up to 65 ppm 7-inch class touch screen Duplex ADF OCR standard (adhe)	MX722ade/adhe Up to 70 ppm 7-inch class touch screen Duplex ADF OCR standard (adhe)	MX822ade/adxe, MX826ade/adxe Up to 55, 70 ppm 10-inch class touch screen Duplex ADF Standard OCR Finishing options	MX931dse Up to 35 ppm 7-inch class touch screen Reversing ADF Finishing options		



Printers

					
MS331dn Up to 40 ppm 2-line display	MS431dn/dw Up to 42 ppm 2-line display	MS521dn Up to 46 ppm 2.4-inch display	MS621dn Up to 50 ppm 2.4-inch display	MS622de Up to 50 ppm 4.3-inch touch screen	MS725dvn Up to 55 ppm 2.4-inch display Special media
					
MS821n/dn, MS823n/dn, MS825dn Up to 55, 65, 70 ppm 2.4-inch display Finishing options	MS822de, MS826de Up to 55, 70 ppm 4.3-inch touch screen Finishing options				



MFPs

MX331adn	
Page Yield	P/N
15000	55B1H00
3000	55B1000
15000	55B1H0E
3000	55B100E
15000	55B0HA0
40000	55B0ZA0
MX431adn/adw, MX432adwe	
20000	55B1X00
15000	55B1H00
3000	55B1000
20000	55B1X0E
15000	55B1H0E
3000	55B100E
20000	55B0XA0
40000	55B0ZA0
MX521de/ade, MX522adhe, MX622ade/adhe	
25000	56F1U00
20000	56F1X00
15000	56F1H00
6000	56F1000
25000	56F1U0E
20000	56F1X0E
15000	56F1H0E
25000	56F0UA0
60000	56F0Z00
60000	56F0ZA0



MFPs (cont.)

MX721ade/adhe	
Page Yield	P/N
35000	58D1X00
15000	58D1H00
7500	58D1000
35000	58D1X0E
15000	58D1H0E
35000	58D0XA0
150000	58D0Z00
150000	58D0ZA0
MX722ade/adhe, MX822ade/adxe, MX824ade/adxe, MX826ade/adxe	
55000	58D1U00
35000	58D1X00
15000	58D1H00
7500	58D1000
55000	58D1U0E
35000	58D1X0E
15000	58D1H0E
55000	58D0UA0
150000	58D0Z00
150000	58D0ZA0
MX931dse	
37000	63D0H00
81500	63D0Z00



Printers

MS331dn	
Page Yield	P/N
15000	55B1H00
3000	55B1000
15000	55B1H0E
3000	55B100E
15000	55B0HA0
40000	55B0ZA0
MS431dn/dw	
20000	55B1X00
15000	55B1H00
3000	55B1000
20000	55B1X0E
15000	55B1H0E
3000	55B100E
20000	55B0XA0
40000	55B0ZA0
MS521dn, MS621dn, MS622de	
25000	56F1U00
20000	56F1X00
15000	56F1H00
6000	56F1000
25000	56F1U0E
20000	56F1X0E
15000	56F1H0E
25000	56F0UA0
60000	56F0Z00
60000	56F0ZA0



Printers (cont.)

MS821n/dn, MS822de	
Page Yield	P/N
15000	58D1H00
7500	58D1000
15000	58D1H0E
15000	58D0HA0
150000	58D0Z00
150000	58D0ZA0
MS725dvn, MS823n/dn, MS824de, MS825dn, MS826de	
55000	58D1U00
35000	58D1X00
15000	58D1H00
7500	58D1000
55000	58D1U0E
35000	58D1X0E
15000	58D1H0E
55000	58D0UA0
150000	58D0Z00
150000	58D0ZA0

¹ Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

³ Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

Return Program Cartridge ¹
Contract Cartridge ¹
Regular Toner Cartridge ¹
Return Program Imaging Kit (Single or Multipack) ²
Regular Imaging Kit (Single or Multipack) ²
Photoconductor (Single or Multipack) ²
Return Developer ²
Regular Developer ²
Waste Toner Container ³
MFP = Multifunction Product